

Copyright 2006 by The American Institute of Architects (AIA)
 Exclusively published and distributed by Architectural Computer Services, Inc. (ARCOM) for the AIA

GLASS-FIBER-REINFORCED ASPHALT SHINGLES								
MANUFACTURER	PRODUCT	TYPE	WARRANTY (YEARS)	ASTM D 3462	FIVE-YEAR WIND-SPEED WARRANTY	FIRE CLASS ASTM E 108	ALGAE RESISTANT	COMMENTS
Atlas Roofing Corporation	Pinnacle 45	Laminated strip	45	Yes	70 mph (31 m/s)	Class A	Standard	
	Pinnacle 350	Laminated strip	35	Yes	80 mph (36 m/s)	Class A	Optional	
	Pinnacle Ultra Pro 45	Laminated strip	45	Yes	80 mph (36 m/s)	Class A	Standard	
	Stormmaster LM	Laminated strip	50	Yes	102 mph (46 m/s)	Class A	Standard	10-year wind warranty. SBS-modified asphalt shingle. Complies with UL 2218, Class 4 impact resistance.
	Stormmaster ST	Three-tab strip	30	Yes	102 mph (46 m/s)	Class A	Standard	10-year wind warranty. SBS-modified asphalt shingle. Complies with UL 2218, Class 4 impact resistance.
	Chalet	Three-tab strip	30	Yes	80 mph (36 m/s)	Class A	Standard	Random color granular overlay.
	Glassmaster Alpine	Three-tab strip	25	Yes	60 mph (27 m/s)	Class A	Standard	
	Stratford	No-cutout strip	30	Yes	80 mph (36 m/s)	Class A	Standard	Random color granular overlay.
	Glassmaster 25	Three-tab strip	25	Yes	60 mph (27 m/s)	Class A	Optional	
CertainTeed Corporation	Grand Manor Shingle	Laminated strip	Lifetime	Yes	110 mph (49 m/s)	Class A	Standard	10-year wind warranty. Overlaid with random tablike strips.
	Centennial Slate	Laminated strip	Lifetime	Yes	110 mph (49 m/s)	Class A	Standard	10-year wind warranty.
	Carriage House Shingle	Laminated strip	Lifetime	Yes	110 mph (49 m/s)	Class A	Standard	10-year wind warranty.
	Presidential Shake TL	Laminated strip	Lifetime	Yes	110 mph (49 m/s)	Class A	Standard (except CA)	
	Independence Shingle	Laminated strip	50	Yes	110 mph (49 m/s)	Class A	Optional	
	Hatteras	Four-tab strip	40	Yes	110 mph (49 m/s)	Class A	Standard	10-year wind warranty. Dual self-sealing strips.
	Landmark 40	Laminated strip	40	Yes	80 mph (36 m/s) 90 mph (40 m/s)	Class A	Optional	
	Landmark 40 IR	Laminated strip	40	Yes	80 mph (36 m/s)	Class A	Standard	Complies with UL 2218, Class 4 impact resistance.
	Landmark 30	Laminated strip	30	Yes	70 mph (31 m/s) 80 mph (36 m/s)	Class A	Optional	
	Hallmark Shingle	Laminated strip	40	Yes	80 mph (36 m/s)	Class A	-	Woodgrain texture and shadow line pattern.
	Woodscape 50	Laminated strip	50	Yes	90 mph (40 m/s)	Class A	-	
	Woodscape 30	Laminated strip	30	Yes	70 mph (31 m/s) 80 mph (36 m/s)	Class A	-	
	Landmark 50/Architect 80	Laminated strip	50	Yes	90 mph (40 m/s) 110 mph (49 m/s)	Class A	Optional	10-year wind warranty.
	XT 30	Three-tab strip	30	Yes	70 mph (31 m/s)	Class A	Optional	Upgradeable to 100 mph in AK and HI.

GLASS-FIBER-REINFORCED ASPHALT SHINGLES								
MANUFACTURER	PRODUCT	TYPE	WARRANTY (YEARS)	ASTM D 3462	FIVE-YEAR WIND-SPEED WARRANTY	FIRE CLASS ASTM E 108	ALGAE RESISTANT	COMMENTS
	XT 30 IR	Three-tab strip	30	Yes	70 mph (31 m/s)	Class A	Standard	Upgradeable to 100 mph in AK and HI. Complies with III 2218, Class 4
	Patriot	Three-tab strip	30	Yes	70 mph (31 m/s)	Class A	Standard	
	XT 25	Three-tab strip	25	Yes	60 mph (27 m/s)	Class A	XT 25 AR	
	Hearthstead	Four-tab strip	25	Yes	60 mph (27 m/s)	Class A	-	
	Classic Horizon Shangle	Three-tab strip	30	Yes	70 mph (31 m/s)	Class A	Optional	Overlaid with random tablike strips.
	New Horizon Shangle	No-cutout strip	30	Yes	70 mph (31 m/s)	Class A	-	Overlaid with random tablike strips.
	Seal King 25	Three-tab strip	25	Yes	60 mph (27 m/s)	Class A	Optional	
	Jet 25	No-cutout strip	25	Yes	60 mph (27 m/s)	Class A	-	
	CT 20	Three-tab strip	20	Yes	60 mph (27 m/s)	Class A	Optional	
Elk Premium Building Products, Inc.; An ElkCorp Company	Prestique Plus High Definition	Laminated strip	50	Yes	80 mph (36 m/s) 110 mph (49 m/s)	Class A	Optional	
	Prestique Gallery Collection	Laminated strip	50	Yes	80 mph (36 m/s) 110 mph (49 m/s)	Class A	Optional	
	Prestique Grande High Definition	Laminated strip	40	Yes	80 mph (36 m/s) 90 mph (40 m/s)	Class A	Optional	
	Prestique I High Definition	Laminated strip	40	Yes	80 mph (36 m/s) 90 mph (40 m/s)	Class A	Optional	Wind warranty limited to AZ, CA, ID, MT, NV, OR, and WA.
	Prestique High Definition	Laminated strip	30	Yes	80 mph (36 m/s)	Class A	Optional	
	Prestique XTA	Laminated strip	40	Yes	130 mph (57 m/s)	Class A	-	Complies with UL 2218, Class 4 impact resistance.
	Raised Profile	Laminated strip	30	Yes	70 mph (31 m/s)	Class A	Optional	
	Capstone	Laminated strip	40	Yes	80 mph (36 m/s) 110 mph (49 m/s)	Class A	Optional	
	Domain Winslow	Laminated strip	50	Yes	80 mph (36 m/s) 110 mph (49 m/s)	Class A	Optional	
	Domain Ashford	Laminated strip	40	Yes	80 mph (36 m/s) 110 mph (49 m/s)	Class A	Optional	
Emco Building Products Corp.	Harmony	Laminated strip	35	Yes	70 mph (31 m/s) 90 mph	Class A	-	
	Everest	Laminated strip	40	Yes	70 mph (31 m/s) 100 mph (44 m/s)	Class A	-	
	Yukon	Three-tab strip	30	Yes		Class A	-	
	Weather-Tite GL	Three-tab strip	25	Yes		Class A	-	
	Dakota	Three-tab strip	25	Yes		Class A	-	
GAF Materials	Camelot	Laminated strip	Lifetime	Yes	110 mph (49 m/s)	Class A	Standard	10-year wind warranty. Dual self-sealing strips.

GLASS-FIBER-REINFORCED ASPHALT SHINGLES								
MANUFACTURER	PRODUCT	TYPE	WARRANTY (YEARS)	ASTM D 3462	FIVE-YEAR WIND-SPEED WARRANTY	FIRE CLASS ASTM E 108	ALGAE RESISTANT	COMMENTS
Corporation	Grand Slate	Laminated strip	Lifetime	Yes	110 mph (49 m/s)	Class A	Standard	10-year wind warranty. Dual self-sealing strips.
	Grand Canyon	Laminated strip	Lifetime	Yes	100 mph (44 m/s) 110 mph (49 m/s)	Class A	Standard	10-year wind warranty.
	Country Estates	Laminated strip	Lifetime	Yes	110 mph (49 m/s)	Class A	Standard	10-year wind warranty. Dual self-sealing strips.
	Country Mansion	Laminated strip	Lifetime	Yes	110 mph (49 m/s)	Class A	Standard	10-year wind warranty. Dual self-sealing strips.
	Grand Sequoia	Laminated strip	Lifetime	Yes	80 mph (36 m/s) 110 mph (49 m/s)	Class A	Certain areas	10-year wind warranty.
	Grand Timberline	Laminated strip	Lifetime	Yes	110 mph (49 m/s)	Class A	Standard	10-year wind warranty.
	Timberline Ultra	Laminated strip	Lifetime	Yes	90 mph (40 m/s) 110 mph (49 m/s)	Class A	Optional	10-year wind warranty.
	Timberline Select 40	Laminated strip	40	Yes	80 mph (36 m/s)	Class A	-	Manufactures complying and noncomplying products.
	Timberline 30	Laminated strip	30	Yes	70 mph (31 m/s)	Class A	Optional	Manufactures complying and noncomplying products.
	Slateline	Five-tab strip	40	Yes	110 mph (49 m/s)	Class A	Standard	10-year wind warranty. Dual self-sealing strips.
	Marquis Weathermax	Three-tab strip	30	Yes	80 mph (36 m/s)	Class A	-	
	Royal Sovereign	Three-tab strip	25	Yes	60 mph (27 m/s)	Class A	-	
	Jumbo Royal Sovereign	Three-tab strip	25	Yes	110 mph (49 m/s)	Class A	-	
	Sentinel	Three-tab strip	20	Yes	60 mph (27 m/s)	Class A	-	Manufactures complying and noncomplying products. Three-year wind warranty.
IKO	Grandeur	Laminated strip	50	Yes	90 mph (40 m/s) 110 mph (49 m/s)	Class A	Standard	Coated with SBS-modified asphalt. Complies with UL 2218, Class 4 impact resistance.
	Regency	Laminated strip	50	Yes	90 mph (40 m/s) 110 mph (49 m/s)	Class A	-	Random cut.
	Cambridge 50	Laminated strip	50	Yes	90 mph (40 m/s) 110 mph (49 m/s)	Class A	Standard	
	Cambridge 30	Laminated strip	30	Yes	70 mph (31 m/s)	Class A	Cambridge AR	
	Gentry Ultra	Three-tab strip	30	Yes	60 mph (27 m/s)	Class A	Standard	
	Gentry 25	Three-tab strip	25	Yes	60 mph (27 m/s)	Class A	Gentry 25 AR	
	Marathon Ultra	Three-tab strip	30	Yes	60 mph (27 m/s)	Class A	-	

GLASS-FIBER-REINFORCED ASPHALT SHINGLES								
MANUFACTURER	PRODUCT	TYPE	WARRANTY (YEARS)	ASTM D 3462	FIVE-YEAR WIND-SPEED WARRANTY	FIRE CLASS ASTM E 108	ALGAE RESISTANT	COMMENTS
	Marathon 25	Three-tab strip	25	Yes	60 mph (27 m/s)	Class A	-	
	Marathon 20	Three-tab strip	20	Yes	60 mph (27 m/s)	Class A	-	
	Royal Victorian	Six-tab strip	25	Yes	60 mph (27 m/s)	Class A	-	
Malarkey Roofing Products	Legacy	Laminated strip	50	Yes	110 mph (49 m/s)	Class A	Optional	Polyester-/fiberglass-mat, SBS-modified asphalt shingle. Complies with UL 2218, Class 4 impact resistance.
	Northwest-XL	Laminated strip	40	Yes	80 mph (36 m/s)	Class A	Optional	
	Alaskan	Three-tab strip	35	Yes	100 mph (45 m/s)	Class A	Optional	Polyester-/fiberglass-mat, SBS-modified asphalt shingle. Complies with UL 2218, Class 4 impact resistance.
	Highlander-CS	Laminated strip	30	Yes	70 mph (31 m/s)	Class A	-	
	Dura-Seal 25	Three-tab strip	25	Yes	54 mph (24 m/s)	Class A	-	
	Dura-Seal 20	Three-tab strip	20	No	54 mph (24 m/s)	Class A	-	
Owens Corning	Berkshire	Laminated strip	Lifetime	Yes	110 mph (49 m/s)	Class A	Standard	
	Woodmoor	Laminated strip	Lifetime	Yes	110 mph (49 m/s)	Class A	-	
	Woodcrest	Laminated strip	50	Yes	90 mph (40 m/s)	Class A	-	
	Weatherguard HP	Laminated strip	40	Yes	110 mph (49 m/s) 130 mph (57 m/s)	Class A	Standard	10-year wind warranty. Dual self-sealing strips. When installed with hip and ridge shingles.
	Weatherguard 30 AR	Laminated strip	30	Yes	110 mph (49 m/s)	Class A	Standard	10-year wind warranty. Dual self-sealing strips.
	Oakridge Pro 50	Laminated strip	50	Yes	90 mph (40 m/s) 110 mph (49 m/s)	Class A	Oakridge Pro 50 AR	
	Oakridge Pro 40	Laminated strip	40	Yes	80 mph (36 m/s)	Class A	Oakridge Pro 40 AR	
	Oakridge Pro 30	Laminated strip	30	Yes	80 mph (36 m/s)	Class A	Oakridge Pro 30 AR	
	Prominence	Three-tab strip	30	Yes	80 mph (36 m/s)	Class A	Prominence AR	
	Supreme	Three-tab strip	25	Yes	60 mph (27 m/s)	Class A	Supreme AR	
	Glaslock	Interlocking	25	Yes	60 mph (27 m/s)	Class A	-	
	Classic	Three-tab strip	20	Yes	60 mph (27 m/s)	Class A	Classic AR	
PABCO Roofing Products	Premier Advantage	Laminated strip	50	Yes	110 mph (49 m/s)	Class A	Standard	
	Precise	Laminated strip	40	Yes	100 mph (45 m/s)	Class A	-	
	Premier 50	Laminated strip	50	Yes	90 mph (40 m/s)	Class A	Optional	
	Premier 40	Laminated strip	40	Yes	80 mph (36 m/s)	Class A	Optional	

GLASS-FIBER-REINFORCED ASPHALT SHINGLES								
MANUFACTURER	PRODUCT	TYPE	WARRANTY (YEARS)	ASTM D 3462	FIVE-YEAR WIND-SPEED WARRANTY	FIRE CLASS ASTM E 108	ALGAE RESISTANT	COMMENTS
	Premier 30	Laminated strip	30	Yes	70 mph (31 m/s)	Class A	Optional	Manufactures complying and noncomplying products.
	SG-30	Three-tab strip	30	Yes	60 mph (27m/s)	Class A	-	
	GG-20	Three-tab strip	20	No	60 mph (27 m/s)	Class A	-	Three-year wind coverage.
TAMKO Roofing Products, Inc.	Heritage 50	Laminated strip	50	Yes	80 mph (36 m/s)	Class A	Heritage 50 AR	Metric Size: Heritage M50.
	Heritage 30	Laminated strip	30	Yes	80 mph (36 m/s)	Class A	Heritage 30 AR	Metric Size: Heritage M30.
	Heritage XL AR	Laminated strip	40	Yes	90 mph (40 m/s) 110 mph (49 m/s)	Class A	Standard	Metric Size: Heritage XL MR.
	Elite Glass-Seal	Three-tab strip	25	Yes	60 mph (27 m/s)	Class A	Elite Glass-Seal AR	
	Tamko Glass-Seal	Three-tab strip	20	Yes	60 mph (27 m/s)	Class A	Tamko Glass-Seal AR	Manufactures complying and noncomplying products.

ORGANIC-FELT-REINFORCED ASPHALT SHINGLES								
MANUFACTURER	PRODUCT	TYPE	WARRANTY (YEARS)	ASTM D 225	FIVE-YEAR WIND-SPEED WARRANTY	FIRE CLASS ASTM E 108	ALGAE RESISTANT	COMMENTS
Emco Building Products Corp.	Eclipse	Laminated strip	35	Type III	70 mph (31 m/s) 110 mph (49 m/s)	Class C	-	For warranty period.
	Tradition	Three-tab strip	30	Type III	70 mph (31 m/s) 90 mph ()	Class C	-	For warranty period.
	Mirage	Three-tab strip	25	Type III	70 mph (31 m/s) 80 mph (36 m/s)	Class C	-	For warranty period.
	Roofmaster	No-cutout strip	25	Type III	70 mph (31 m/s) 90 mph ()	Class C	-	For warranty period.
	Rampart	Three-tab strip	25	Type III	70 mph (31 m/s) 80 mph (36 m/s)	Class C	-	For warranty period.
	Weather-Tite	Three-tab strip	25	Type III	70 mph (31 m/s) 110 mph (49 m/s)	Class C	-	For warranty period.
	Europa	Five-tab strip	30	Type III	70 mph (31 m/s) 80 mph (36 m/s)	Class C	-	For warranty period.
	Tite-Lok	Interlocking unit	25	Type III	60 mph (27 m/s)	Class C	-	For warranty period.
	Citadel	Three-tab strip	20	Type III	60 mph (27 m/s)	Class C	-	For warranty period.
IKO	Chateau	Laminated strip	35	Type III	80 mph (36 m/s)	Class C	-	
	New Englander	No-cutout strip	25	Type III	60 mph (27 m/s)	Class C	-	
	Renaissance XL	Three-tab strip	25	Type III	60 mph (27 m/s)	Class C	-	
	Cathedral XL	Three-tab strip	25	Type III	60 mph (27 m/s)	Class C	-	
	Aristocrat 25	Three-tab strip	25	Type III	60 mph (27 m/s)	Class C	-	
	Armour Plus 20	Three-tab strip	20	Type III	60 mph (27 m/s)	Class C	-	

* * * * *